

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
-	4	(michele near2 alia).inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 09:58
-	2	(michele near2 carrano).inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 09:26
-	1	(carmello near2 pistrutto).inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 09:26
-	69	(francis near2 russell).inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 09:29
-	18	system near2 on near2 chip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 09:46
-	110	selective\$2 near3 power\$3 near3 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 09:46
-	21	selective\$2 near3 power\$3 near3 circuit near3 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 09:49
-	12	selective\$2 near3 clock\$3 near3 circuit near3 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:05
-	44	selective\$2 near3 clock\$3 near3 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:06
-	1	(selective\$2 near3 clock\$3 near3 block) same active	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:07
-	0	(selective\$2 near3 clock\$3 near3 block) same idle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:07
-	60	shutdown near3 acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:07
-	0	(selective\$2 near3 power\$3 near3 block) and (shutdown near3 acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:08

-	0	(selective\$2 near3 power\$3 near3 block) and acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:08
-	0	(selective\$2 near3 clock\$3 near3 block) and acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:09
-	11	prevent\$3 near3 shut\$1down near5 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:11
-	3	prevent\$3 near5 down near8 acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:11
-	44	selective\$2 near3 clock\$3 near3 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:33
-	61	selective\$2 near3 clock\$3 near5 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:34
-	1	(selective\$2 near3 clock\$3 near5 block) same active	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:34
-	0	(selective\$2 near3 clock\$3 near5 block) same operative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:35
-	2	(selective\$2 near3 clock\$3 near5 block) same activ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:35
-	26	(selective\$2 near3 clock\$3 near5 block) same operat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:36
-	0	cpu near5 query\$3 near5 register near8 activ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:05
-	7	cpu near5 query\$3 near5 register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:17
-	105	cpu near5 poll\$3 near5 register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:06
-	1	cpu near5 poll\$3 near5 register near8 activ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:08

-	6	cpu near5 poll\$3 near5 register near8 operat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:17
-	41	processor near5 poll\$3 near5 register near8 operat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:17
-	34	processor near5 query\$3 near5 register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:18
-	0	selective\$2 near3 clock\$3 near8 block same acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:32
-	0	selective\$2 near3 clock\$3 near8 block and acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:33
-	0	selective\$2 near3 clock\$3 near8 block same return	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:55
-	0	selective\$2 near3 clock\$3 near8 block and hand adj2 shak\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:34
-	61	shut\$1down near3 acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:35
-	3	(shut\$1down near3 acknowledg\$5) and clock\$3 near8 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:36
-	135	clock\$3 near8 block same acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:37
-	46	(clock\$3 near8 block same acknowledg\$5) same after	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:37
-	23	clock\$3 near8 block same after with acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:44
-	32	register near5 enabl\$3 near5 clock\$3 near5 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:54
-	885	stor\$3 near5 activ\$3 near5 register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:56

-	0	selective\$2 near3 clock\$3 near8 block and (stor\$3 near5 activ\$3 near5 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:14
-	77	clock\$3 near8 block and (stor\$3 near5 activ\$3 near5 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:55
-	0	clock\$3 near8 block same (stor\$3 near5 activ\$3 near5 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:55
-	36	stor\$3 near5 activ\$3 near3 status near5 register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:59
-	8	stor\$3 near5 activ\$3 near3 status near5 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:02
-	17	stor\$3 near5 activ\$3 near3 status same clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:02
-	124	stor\$3 near5 activ\$3 near3 register same clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:02
-	30	stor\$3 near5 activ\$3 near3 register near8 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:06
-	58	stor\$3 near5 status near3 register near8 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:07
-	1	stor\$3 near5 status near3 register near8 enabl\$3 near3 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:10
-	0	selective\$2 near3 clock\$3 near8 block and ack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:29
-	0	selective\$2 near3 power\$3 near8 block same ack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:11
-	28	selective\$2 near3 power\$3 near8 block and ack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:12
-	6073	hand near3 shak\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:12

-	0	selective\$2 near3 clock\$3 near8 block and (hand near3 shak\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:12
-	187	clock\$3 near8 block and (hand near3 shak\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:12
-	6	clock\$3 near8 block same (hand near3 shak\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:12
-	5	selective\$2 near3 clock\$3 near8 block same after	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:17
-	4745	after near3 acknowledg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:17
-	306	power near5 down and (after near3 acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:18
-	351	power\$3 near5 down and (after near3 acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:18
-	22	power\$3 near5 down same (after near3 acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:29
-	231	after near3 sen\$4 near3 ack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:30
-	0	selective\$2 near3 clock\$3 near8 block and (after near3 sen\$4 near3 ack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:29
-	7	after near3 sen\$4 near3 ack same clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:32
-	21	after near3 sen\$4 near3 acknowledg\$5 same clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 17:32
-	9	registers near8 enabl\$3 near5 clock near8 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 13:59
-	4	control near5 registers near8 enabl\$3 near5 clock\$3 near8 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 14:00

-	110	control near5 registers near8 enabl\$3 near8 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 14:00
-	72	control near5 registers near8 clock\$3 near8 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 14:01
-	68	control near5 registers near8 clock\$3 near5 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 14:01
-	37	control near5 registers near5 clock\$3 near5 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 15:29
-	0	acknowledg\$5 near5 registers near5 clock\$3 near5 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 15:30
-	5	acknowledg\$5 near5 registers near5 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 15:32
-	2	ack near5 registers near5 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 15:52
-	668	registers near8 determin\$3 near5 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 15:52
-	0	registers near8 determin\$3 near5 shut\$1down near5 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 15:52
-	1	registers near8 determin\$3 near5 shut\$1down	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 15:53
-	26	registers near8 determin\$3 near5 status same clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 16:00
-	1	registers near8 determin\$3 near5 state near5 shut\$1down	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 16:01
-	28	registers near8 determin\$3 near5 state near5 execut\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 16:05
-	13	determin\$3 near5 shut\$1down near3 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/31 16:08

-	155	determin\$3 near8 status near8 acknowledg\$5	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:13
-	5	(determin\$3 near8 status near8 acknowledg\$5) same registers	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:13
-	179	determin\$3 near8 state near8 acknowledg\$5	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:17
-	10	(determin\$3 near8 state near8 acknowledg\$5) same registers	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:17
-	181	determin\$3 near8 complet\$3 near8 acknowledg\$5	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:19
-	1	(determin\$3 near8 complet\$3 near8 acknowledg\$5) same registers	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:17
-	5	determin\$3 near8 complet\$3 near8 acknowledg\$5 same table	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:21
-	5	determin\$3 near8 complet\$3 near8 acknowledg\$5 near8 register	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:21
-	22	determin\$3 near8 transitio\$3 near5 state near8 acknowledg\$5	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:26
-	10	determin\$3 near8 transitio\$3 near5 state near8 registers	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:36
-	1	determin\$3 near8 transitio\$3 near5 status near8 registers	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:36
-	42	determin\$3 near8 stat\$2 near8 poll\$3 near5 registers	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/07/31 16:40
-	6	5586307.pn. or 5615376.pn. or 6088806.pn.	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2004/08/02 09:58